



NAVOPACHE ELECTRIC COOPERATIVE

APPROVED METERING SERVICE ENTRANCE EQUIPMENT

Application	Service Description	Meter		
		Type	Manufacturer	Manufacturer No.
Residential	120/240V 1-phase 100amp OH or UG	2S	Siemens	MC1224B1125SEC
Residential	120/240V 1-phase 100amp OH or UG	2s	General Electric	TSM1610CSCU
Residential	120/240V 1-phase 200amp OH only	2S	Murray	JA0816B1200T
Residential	120/240V 1-phase 200amp OH or UG	2S	Square D	SC40M200S
Residential	120/240V 1-phase 200 amp OH or UG	2S	Siemens	MC4040B1200SECW
Residential	120/240V 1-phase 200 amp OH or UG	2S	General Electric	TSM420CSCU
Residential	120/240V 1-phase 200amp OH or UG (wide body)	2S	General Electric	TSM4020UWCU
Residential	120/240V 1-phase 200amp OH or UG (narrow body)	2S	General Electric	TSM2020CSCU
Commercial	120/240V 1-phase 100 amp with manual bypass OH or UG	2S	Milbank	U214MTB/22
Commercial	120/240V 1-phase 200 amp with manual bypass OH or UG	2S	Milbank	U224MTB/22
Commercial	120/240V 1-phase 200 amp with manual bypass (socket only) OH/UG	2S	Milbank	124TB
Commercial	120/240V 1-phase 100 amp with manual bypass (socket only) OH/UG	2S	Milbank	114TB
Residential	120/240V 1-phase 200amp OH or UG	2S	Murray	JA4040B1200SECW
Residential	120/240V 1-phase 200amp Pedestal	2S	Midwest	M281E1P6H
Residential	120/240V 1-phase 200amp Pedestal	2S	Milbank	U5240-0-200S
Residential	120/240V 1-phase 100amp Pedestal	2S	Milbank	U5240-0-100S
Commercial	120/240V 1-phase 100amp Pedestal with manual bypass	2S	Milbank	CP3B11115A22
Commercial	120/240V 1-phase 200amp Pedestal with manual bypass	2S	Milbank	CP3B12119A22
Residential	120/240V 1-phase 320 amp OH only	2S(320)	Milbank	M400APS
Residential	120/240V 1-phase 320 amp OH or UG	2S(320)	Siemens	MC3042B1400SC
Residential	120/240V 1-phase 320 amp UG only	2s (320)	Square D	SU3040D400CN
Residential	120/240V 1-phase 320 amp UG only	2s (320)	General Electric	TMH2440RMS



NAVOPACHE ELECTRIC COOPERATIVE

APPROVED METERING SERVICE ENTRANCE EQUIPMENT

Application	Service Description	Meter Type	Manufacturer	Manufacturer No.
Residential	120/240V 1-phase 320 amp UG only (only 2 - 200 amp Mains with manual bypass) narrow can	2s (320)	Milbank	U3251-O-200-CB
Residential	120/240V 1-phase 320 amp UG only (2 - 200 amp Mains and one load center)	2s (320)	Midwest Electric	RS45524CFMG
Commercial	120/208V network 100 amp with manual bypass (socket only) OH or UG	12S	Milbank	115TB
Commercial	120/208V network 100amp with manual bypass (add 105J 5th Terminal)	12S	Milbank	U214MTB/22
Commercial	120/208V network 200 amp with manual bypass OH or UG (add 105J 5th Terminal)	12S	Milbank	U224MTB/22
Commercial	208/120V Wye, 240/120V Delta, 480/277V Wye 4-wire 3-phase 100 amp with manual bypass (socket only) OH or UG	16S	Milbank	117TB
Commercial	120/208V network or 240V 3-wire 3-phase 200 amp with manual bypass (socket only) OH or UG	16S	Milbank	125TB
Commercial	208/120V Wye, 240/120V Delta, 480/277V Wye 4-wire 3-phase 200 amp with manual bypass (socket only) OH or UG	16S	Milbank	127TB
Commercial	208/120V Wye, 240/120V Delta, 4-wire 3-phase 200 amp with manual bypass OH or UG	16S	Milbank	U227MTB/22
Commercial	480/277V Wye 100 amp with manual bypass OH or UG	16S	Milbank	U217MTB-48(35K AIC)
Commercial	480/277V Wye 200 amp with manual bypass OH or UG	16S	Milbank	U227MTB-48(35K AIC)
Res/Com	120/240V 1-phase 400 amp UG	4S	ALS	Dwg. 421UG
Res/Com	120/240V 1-phase 400 amp OH	4S	Sun Valley	OHSVWCTML400-1D
Res/Com	120/240V 1-phase 400 amp UG	4S	Sun Valley	SVWCTML400-1D
Res/Com	120/240V 1-phase 600 amp UG	4S	ALS	Dwg. 641UG



NAVOPACHE ELECTRIC COOPERATIVE

APPROVED METERING SERVICE ENTRANCE EQUIPMENT

Application	Service Description	Meter Type	Manufacturer	Manufacturer No.
Res/Com	120/240V 1-phase 600 amp UG	4S	Sun Valley	SVWCTML600-1D
Res/Com	120/240V 1-phase 600 amp OH	4S	Sun Valley	OHSVWCTML600-1D
Commercial	208/120V Wye , 240/120V Delta, 3-phase 400amp UG (call Manufacturer for information on 480/277V applications)	9S	ALS	Dwg. 623-UG
Commercial	240/120V Delta, 3-phase 400 amp UG	9S	Sun Valley	SVWCTML400-13D
Commercial	240/120V Delta, 3-phase 400 amp OH	9S	Sun Valley	OHSVWCTML400-13D
Commercial	208/120V Wye 3-phase 400 amp 400 amp UG	9S	Sun Valley	SVWCTML400-3D
Commercial	208/120V Wye 3-phase 400 amp 400 amp OH	9S	Sun Valley	OHSVWCTML400-3D
Commercial	208/120V Wye 3-phase 400 amp 600 amp OH	9S	Sun Valley	OHSVWCTML600-3D
Commercial	208/120V Wye 3-phase 400 amp 600 amp UG	9S	Sun Valley	SVWCTML600-3D
Commercial	208/120V Wye, 240/120V Delta, 3 phase 600amp. UG (call Manufacturer for information on 480/277V applications)	9S	ALS	Dwg. 643-UG
Commercial	240/120V Delta 3-phase 600 amp OH	9S	Sun Valley	OHSVWCTML600-13D
Commercial	240/120V Delta 3-phase 600 amp UG	9S	Sun Valley	SVWCTML600-13D

Note 1. All services are subject to field inspection.

Note 2. Service entrances that match or exceed the specifications of the above equipment may be used but will require approval prior to installation.

Note 3. All equipment must meet minimum requirements for applied service voltage.

Note 4. Breaker Interrupting Rating (AIC) must exceed fault current available at service location. (But no less than 22 K AIC Minimum)

OH - Overhead

UG - Underground